

EXISS


THE MARK OF EXCELLENCE

SLANT LOAD HORSE TRAILERS



ENGINEERED FOR YOU

Exiss offers a complete line of gooseneck and bumper pull horse trailers loaded with features that represent the best value in the industry. For 30 years, Exiss has engineered and built a wide variety of horse trailers that keep your horses safer and are easy to use. Available in a broad range of horse configurations, widths, heights and lengths, an Exiss horse trailer is a great way to haul your horses safely, conveniently and comfortably.



CONTACT YOUR LOCAL EXISS DEALER TODAY
to check out our comprehensive selection of high
quality gooseneck and bumper pull horse trailers!




EXPRESS MODELS BUMPER PULLS



EXPRESS BP | CX EDITION

Model: 2H CX & 3H CX
Horse Stalls: 2 & 3 horse
Tack Room: 0' shortwall
Rear Door: Full swing gate
Wheels: 15" aluminum

Outside Width: 7'0"
Inside Height: 7'2"
Sidewalls: Extruded aluminum
Streetside: 2 air gaps
Curbside: 2 air gaps



The Express 2H & 3H CX models are the most affordable and convenient models in our bumper pull lineup. These trailers feature all-aluminum construction, a separate dressing room with a saddle rack and tack items, curbside and streetside air gaps, aluminum wheels with radial tires and rubber torsion axles.




EXPRESS BP | CXF EDITION

Model: 2H CXF & 3H CXF
Horse Stalls: 2 & 3 horse
Tack Room: 0' shortwall
Rear Door: Full swing gate
Wheels: 15" aluminum

Outside Width: 7'0"
Inside Height: 7'2"
Sidewalls: Extruded aluminum
Streetside: Drop down feed windows
Curbside: 2 air gaps


The Express 2H & 3H CXF models are the most popular trailers in the Exiss bumper pull lineup. These trailers feature all-aluminum construction, a separate dressing room with a saddle rack and tack items, streetside drop down feed windows, curbside air gaps, aluminum wheels with radial tires and rubber torsion axles.



EXPRESS BP | SS EDITION

Model: 2H SS & 3H SS
Horse Stalls: 2 & 3 horse
Tack Room: 0' shortwall
Rear Door: Double rear doors
Wheels: 15" aluminum

Outside Width: 7'0"
Inside Height: 7'2"
Sidewalls: Smooth skin aluminum
Streetside: Drop down feed windows
Curbside: Slider windows



The Express 2H & 3H SS models are a sleek, stylish and economical option from Exiss. These trailers feature all-aluminum construction, smooth skin exterior, a separate dressing room with a saddle rack and tack items, streetside drop down feed windows, curbside slider windows, aluminum wheels with radial tires and rubber torsion axles.




EXPRESS BP | XT EDITION

Model: 2H XT & 3H XT
Horse Stalls: 2 & 3 horse
Tack Room: 0' shortwall
Rear Door: Double rear doors
Wheels: 15" aluminum

Outside Width: 7'0"
Inside Height: 7'2"
Sidewalls: Extruded aluminum
Streetside: Drop down feed windows
Curbside: Slider windows

The Express 2H & 3H XT models are the most robust and rugged slant load models in the Express bumper pull lineup. These trailers feature all-aluminum construction, extruded aluminum exterior, a separate dressing room with a saddle rack and tack items, streetside drop down feed windows, curbside slider windows, aluminum wheels with radial tires and rubber torsion axles.



EXPRESS MODELS GOOSENECKS




EXPRESS GN | CX EDITION

Model: 3H CX & 4H CX
Horse Stalls: 3 & 4 horse
Tack Room: 2'6" shortwall
Rear Door: Full swing gate
Wheels: 16" aluminum

Outside Width: 7'0"
Inside Height: 7'2"
Sidewalls: Extruded aluminum
Streetside: 2 air gaps
Curbside: 2 air gaps



The Express 3H & 4H CX models are the most affordable and convenient models in our gooseneck lineup. These trailers feature all-aluminum construction, a separate dressing room with a saddle rack and tack items, curbside and streetside air gaps, aluminum wheels with radial tires and rubber torsion axles.



WE PUT OURSELVES IN YOUR BOOTS



When it's time to make a major purchase, it's nice to have confidence that your selection was built the right way. As a proud member of the **National Association of Trailer Manufacturers**, not only do our trailers meet all NATM requirements, but they're built with your safety and satisfaction as our goal.




EXPRESS GN | CXF EDITION

Model: 3H CXF & 4H CXF
Horse Stalls: 3 & 4 horse
Tack Room: 2'6" shortwall
Rear Door: Full swing gate
Wheels: 16" aluminum

Outside Width: 7'0"
Inside Height: 7'2"
Sidewalls: Extruded aluminum
Streetside: Drop down feed windows
Curbside: 2 air gaps

The Express 3H & 4H CXF models are the most popular trailers in the Exiss gooseneck lineup. These trailers feature all-aluminum construction, a separate dressing room with a saddle rack and tack items, streetside drop down feed windows, curbside air gaps, aluminum wheels with radial tires and rubber torsion axles.




EXPRESS GN | SS EDITION

Model: 3H SS & 4H SS
Horse Stalls: 3 & 4 horse
Tack Room: 2'6" shortwall
Rear Door: Double rear doors
Wheels: 16" aluminum

Outside Width: 7'0"
Inside Height: 7'2"
Sidewalls: Smooth skin aluminum
Streetside: Drop down feed windows
Curbside: Slider windows



The Express 3H & 4H SS models are a sleek, stylish and economical option from Exiss. These trailers feature all-aluminum construction, smooth skin exterior, a separate dressing room with a saddle rack and tack items, streetside drop down feed windows, curbside slider windows, aluminum wheels with radial tires and rubber torsion axles.




EXPRESS GN | XT EDITION

Model: 3H XT & 4H XT
Horse Stalls: 3 & 4 horse
Tack Room: 2'6" shortwall
Rear Door: Double rear doors
Wheels: 16" aluminum

Outside Width: 7'0"
Inside Height: 7'2"
Sidewalls: Extruded aluminum
Streetside: Drop down feed windows
Curbside: Slider windows

The Express 3H & 4H XT models are the most robust and rugged slant load models in the Express gooseneck lineup. These trailers feature all-aluminum construction, extruded aluminum exterior, a separate dressing room with a saddle rack and tack items, streetside drop down feed windows, curbside slider windows, aluminum wheels with radial tires and rubber torsion axles.



EXISS[®] 700 SERIES



MODELS 720 & 730 BP


Outside Width: 7'
Horse Stalls: 2 & 3 horse
Tack Room: 2'4" shortwall
Wheels: 15" aluminum
Rear Doors: Double rear doors

Inside Height: 7'2"
Sidewalls: Smooth skin aluminum
Streetside: Drop down feed windows
Curbside: Slider windows



These slant load 2H & 3H bumper pulls have the looks, features and performance of a higher priced trailer at an incredible value. The Exiss 720 & 730 BP models feature spacious layouts, durable construction and impressive styling for the savvy trailer buyer.

*** Shown with optional equipment**




EXISS[®] 7000 SERIES



MODELS 7200, 7300, 7400, 7600

- Outside Width:** 7'
- Horse Stalls:** 2,3,4,6 horse
- Unload Door:** Standard on 3H-6H
- Tack Room:** 4'6" shortwall (2H-4H); 3'10" shortwall on 6H
- Wheels:** 16" aluminum
- Inside Height:** 7'2"
- Stall Width:** 40"
- Sidewalls:** Extruded aluminum
- Streetside:** Drop down feed doors
- Curbside:** Slider windows



These 2, 3, 4 and 6 horse, slant load gooseneck models combine an impressive appearance with the horse-friendly features for which Exiss is famous. Its standard features – such as a folding rear tack, stall pads, patented slam latches and carpeted dressing room – make it the perfect choice for the serious horse enthusiast.

POPULAR OPTIONS



1



2



3



4

- 1 Exterior Graphics
- 2 Fold-up Camper Step
- 3 Colored Side Sheets
- 4 Rear Ramp
- 5 Aluminum Butt Bars
- 6 Stall Pads On Dividers
(Standard on non-Express Models)
- 7 Polished Slat
- 8 Stainless Nose
- 9 Lower Divider
- 10 Additional Lighting
- 11 Exterior Slat
- 12 Hay Rack And Ladder
- 13 Easy Care Flooring
- 14 Goodyear Tires
- 15 LED Load Light
- 16 Boot Box



5



6



7



8



9



10



11



12



13



14



15



16



THE MARK OF EXCELLENCE

MODEL SPECIFICATIONS

Trailer Model	Belly Length	Interior Height	Exterior Width	Shortwall Length	Horse Stalls	Rear Tack	Est. Empty Weight	Wheel Size	Tire Specs	Axle Size	GVWR
Express 2H BP CX	11'	7'2"	7'	0'	2H	N/A	2,620	15"	8 ply	(2) 3,500	7,000
Express 3H BP CX	14'4"	7'2"	7'	0'	3H	N/A	3,200	15"	8 ply	(2) 3,500	7,000
Express 2H BP CXF	11'	7'2"	7'	0'	2H	N/A	2,620	15"	8 ply	(2) 3,500	7,000
Express 3H BP CXF	14'4"	7'2"	7'	0'	3H	N/A	3,200	15"	8 ply	(2) 3,500	7,000
Express 2H BP SS	11'	7'2"	7'	0'	2H	Optional	2,620	15"	8 ply	(2) 3,500	7,000
Express 3H BP SS	14'4"	7'2"	7'	0'	3H	Optional	3,100	15"	8 ply	(2) 3,500	7,000
Express 2H BP XT	11'	7'2"	7'	0'	2H	Optional	2,620	15"	8 ply	(2) 3,500	7,000
Express 3H BP XT	14'4"	7'2"	7'	0'	3H	Optional	3,100	15"	8 ply	(2) 3,500	7,000
720 BP	13'	7'2"	7'	2'4"	2H	Standard	3,140	15"	8 ply	(2) 3,500	7,000
730 BP	16'	7'2"	7'	2'4"	3H	Standard	3,420	15"	8 ply	(2) 5,200	10,400
Express 3H GN CX	16'8"	7'2"	7'	2'6"	3H	N/A	4,200	16"	10 ply	(2) 5,200	10,400
Express 4H GN CX	20'0"	7'2"	7'	2'6"	4H	N/A	4,560	16"	10 ply	(2) 5,200	10,400
Express 3H GN CXF	16'8"	7'2"	7'	2'6"	3H	N/A	4,200	16"	10 ply	(2) 5,200	10,400
Express 4H GN CXF	20'0"	7'2"	7'	2'6"	4H	N/A	4,560	16"	10 ply	(2) 5,200	10,400
Express 3H GN SS	16'8"	7'2"	7'	2'6"	3H	Optional	4,200	16"	10 ply	(2) 5,200	10,400
Express 4H GN SS	20'0"	7'2"	7'	2'6"	4H	Optional	4,560	16"	10 ply	(2) 5,200	10,400
Express 3H GN XT	16'8"	7'2"	7'	2'6"	3H	Optional	4,200	16"	10 ply	(2) 5,200	10,400
Express 4H GN XT	20'0"	7'2"	7'	2'6"	4H	Optional	4,560	16"	10 ply	(2) 5,200	10,400
7200 GN	15'4"	7'2"	7'	4'6"	2H	Standard	3,990	16"	10 ply	(2) 5,200	10,400
7300 GN	18'8"	7'2"	7'	4'6"	3H	Standard	4,460	16"	10 ply	(2) 5,200	10,400
7400 GN	22'0"	7'2"	7'	4'6"	4H	Standard	4,800	16"	10 ply	(2) 6,000	12,000
7600 GN	28'0"	7'2"	7'	3'10"	6H	Standard	5,700	16"	10 ply	(2) 7,000	15,000

WE STAND BEHIND OUR TRAILERS! To demonstrate our confidence in our trailers, all Exiss bumper pull trailers come standard with a fully transferrable, 3 year-limited, 8 year-structural warranty. See your local authorized Exiss dealership for more details.



In keeping with its policy of continuous improvements, Exiss reserves the right to make specification changes at any time without notice or obligation. All dimensions listed in herein are approximate. Illustrations may include optional equipment.



EXISS

THE MARK OF EXCELLENCE



1 (877) 553-9477 | 900 E. Trail Blvd. | El Reno, OK 73036 | www.exiss.com | sales@exiss.com

In keeping with its policy of continuous improvement, Exiss reserves the right to make specification changes at any time without notice or obligation. All dimensions listed in this brochure are approximate. Illustrations may include optional equipment.

© 2023 Exiss | Version 23.8